








JET LIST

NOTE: To order jets, specify Series number and Jet size.

Example [N424-21050 is for size #50 of N424-21 series.]

NOTE: To order jets, specify Series number and Jet size.

Example [99101-124-150 is for size #150 of 99101-124 series.]







Jet Series	N424-21	N424-22	N424-24	N424-25B		N424-26	N424-35		N424-32
	 28 mm	 28 mm	 32 mm	 15 mm		 23.5 mm	 7 mm		 21 mm
Jet Sizes Available	035 038 040 042 045 048 050 052 055 058 060 062 065 068 070 072 075 078 080	035 038 040 042 045 048 050 052 055 058 060 062 065 068 070 072 075 078 080	035 038 040 042 045 048 050 052 055 058 060 062 065 068 070 072 075 078 080	35 38 40 42 45 48 50 52 55 58 60 62 65 68 70 72 75 78 80	82 85 88 90 92 95 098	035 038 040 042 045 048 050 052 055 058 060 062 065 068 070 072 075 078 080	035 038 040 042 045 048 050 052 055 058 060 062 065	082 085 088 090 092 095 098 100 105 110 115 120	045 048 050 052 055 058 060 062 065
Application	(SLOW JET)	(SLOW JET)	(SLOW JET)	(SLOW JET)		(SLOW JET)	(SLOW JET)		(SLOW JET)
AFTER MARKET	FCR-MX		CRS	FCR					
HONDA	PJ, PWM (Motocross) (ATV)	PJ (Motocross)							PE 24 (Motocross)
	PE 20,22,26-30 (Motocross) (ATV)	PE 34-38 (Motocross)							
KAWASAKI	PWK (Motocross)	CVK-V (V-Engine)					CDK, CDKII CDCV		
HARLEY				BH (Non CV Type) BD (Screamin' Eagle)					
YAMAHA				BD (Snowmobile)					

- N424-25 series has 0.6 mm bleed (cross) holes.

When it is used for KAWASAKI CV, CVK or Harley CVH, bleed (cross) holes should be modified to 0.8 mm (dia.).

- If your jet is 99101-MA4 series, you can use N424-26 series.
- If your jet is 99101-441 series, you can use N424-22 series.













Jet List

Jet Series	N424-36		99101-124 <small>OLD #89101-ZF5</small>		99101-357			99101-393			1001-806		N424-52
	 8 mm		 8.5 mm		 16.5 mm			 8 mm			 9 mm		 8.5 mm
Jet Sizes Available	90 92 95 98 100 102 105 108 110 112 115 118 120 122 125 128 130 132 135 138 140 142	145 148 150 152 155 158 160 165 170 175 180 185 190 195 200 200 200 200 200 200 200 200 200	50 52 55 58 60 62 65 68 70 72 75 78 80 82 85 88 90 92 95 98 100 102	105 108 110 112 115 118 120 125 130 135 140 145 150 150 150 150 150 150 150 150 150 150 150	60 62 65 68 70 72 75 78 80 82 85 88 90 92 95 98 100 102 105 108 110 112	115 118 120 122 125 128 130 132 135 138 140 142 145 148 150 152 155 158 160 162 165 168	170 172 175 178 180 182 185 190 195 200 205 210 215 220 225 230 230 230 230 230 230 230 230	60 62 65 68 70 72 75 78 80 82 85 88 90 92 95 98 100 102 105 108 110 112	115 118 120 122 125 128 130 132 135 138 140 142 145 148 150 152 155 158 160 165 170 175	180 185 190 195 200 200 200 200 200 200 200 200 200 200 200 200 200 200 200 200 200 200	90 92 95 98 100 102 105 108 110 112 115 118 120 122 125 128 130 132 135 138 140 145	148 150 152 155 158 160 165 170 175 180 185 190 195 200 210 220 230 240 250 250 250 250	035 040 045 048 050 052 055 058 060 062 065 068 070 072 080 082 085 088 090 092 095 098 100
Application	(MAIN JET)		(SLOW AIR JET)		(MAIN JET)			(MAIN JET)			(MAIN JET)		(ACCL. PUMP JET)
AFTER MARKET			FCR		FCR, FCR-MX, CRS			FCR (MAIN AIR JET)					
HONDA					PD (Dual Purpose) PE-34-38PE (Motocross) PJPDVG (Motocross) (ATV)			CVVD (Road Bike) (V-Eng) 26-30 VB VE (Motocross)(Sidedraft) (Motocross)(Downdraft) VA					FCR-MX (Motocross)
KAWASAKI	CDK, CDKII (Jet Ski)				PWK (Motocross)			CV, CVK (Road Bike)					
HARLEY					BD (Screamin' Eagle)						BH (Non CV Type)		
YAMAHA					BD (Snowmobile) PWM(Motocross)			CVK (Road Bike)					FCR-MX (Motocross)

NOTE: • N424-36 has the same profile as 99101-393, but is plated for water craft usage to prevent corrosion.
Therefore, 99101-393 should not be used on CDK II carburetors.

Jet List

NOTE: To order jets, specify Series number and Jet size.
Example [N424-27-150 is for size #150 of N424-27 series.]

Jet Series	N424-27	99101-116		N424-25B		N424-14		99103-420	N424-74C
	  8 mm	  7 mm		  15 mm		  22 mm		  23.5 mm	  28 mm
Jet Sizes Available	150 155 160 165 170 175 180 185 190 195 200 205 210 220 230 240 250	50 52 55 58 60 62 65 68 70 72 75 78 80 82 85	88 90 92 95 98 100 105 110 115 120	035 038 040 042 045 048 050 052 055 058 060 062 065 068 070 072 075 078 080	082 085 088 090 092 095 098	40 50 60 70 80 90 100 110 120 130 140 150 160 170 180 190 200 210 220	230 240 250 260 280	32 35 38 40 42 45 48 50 52	035 038 040 042 045
Application	(MAIN JET)	(MAIN JET)		(SLOW JET)		(MAIN AIR JET)		(SLOW JET)	(SLOW JET)
AFTER MARKET				FCR		CRS			
HONDA		PB (Small ATV)						VB (Side Draft)	
KAWASAKI	CDCV 40/44			CVK					(V2 ATV)
HARLEY	CVH (CV Type)			CVH					
YAMAHA				CVK					

NOTE:

- 99103-420 series has 0.6mm bleed (cross) holes.
- Can be used as a 99103-MA1 or 99103-MA4 if bleed (cross) holes are drilled to .7mm or .8mm respectively.
- N424-25B series has 0.8mm bleed (cross) holes.